



SAGENT®

CUSTOMER SUPPORT:

Customer Call Center
(866) 625-1618

MEDICAL AFFAIRS

(866) 625-1618, Option 3

Sagent Pharmaceuticals Issues Voluntary Nationwide Recall of Methylprednisolone Sodium Succinate for Injection, USP, 40mg, 125mg, and 1g Due to High Out of Specification Impurity Results

FOR IMMEDIATE RELEASE - SCHAUMBURG, IL – March 5, 2018 – Sagent Pharmaceuticals, Inc. today announced the voluntary nationwide recall of ten lots of Methylprednisolone Sodium Succinate for Injection, USP, 40mg, 125mg, and 1g. A detailed listing of products and lots is listed below. These products were manufactured by Gland Pharma Ltd. and distributed by Sagent Pharmaceuticals. Sagent has initiated this voluntary recall of Methylprednisolone Sodium Succinate for Injection, USP to the user level due to the discovery of high out of specification impurity results detected during routine quality testing of stability samples for two lots. This impurity has not yet been identified.

An elevated impurity has the potential to decrease effectiveness of the product in patients. To date, Sagent is not aware of any adverse patient events resulting from the use of the subject product lots.

Methylprednisolone Sodium Succinate for Injection, USP is an anti-inflammatory glucocorticoid indicated for a number of conditions, including but not limited to: allergic states, dermatologic diseases, endocrine disorders, gastrointestinal diseases, hematologic disorders, miscellaneous (trichinosis with neurologic or myocardial involvement, tuberculous meningitis with subarachnoid block or impending block when used concurrently with appropriate antituberculous chemotherapy), neoplastic diseases, nervous system, ophthalmic diseases, renal diseases, respiratory diseases, and rheumatic disorders. The product is supplied in 5 ml, 10 ml, and 30 ml glass tubular vials. The lot numbers being recalled were distributed to hospitals, wholesalers and distributors nationwide from April 2017 through February 2018.

Product	Lot Numbers	Expiration Date	NDC Number	Distribution Dates
Methylprednisolone Sodium Succinate for Injection, USP, 40mg	AJM601	Jul-2018	25021-807-05	Apr –Aug 2017
	AJM701	Dec-2018	25021-807-05	Aug – Nov 2017
	AJM702	Dec-2018	25021-807-05	Nov 2017 – Feb 2018
Methylprednisolone Sodium Succinate for Injection, USP, 125mg	AJN601	Jun-2018	25021-808-10	Apr – Oct 2017
	AJN701	Dec-2018	25021-808-10	Aug 2017 – Jan 2018
	AJN702	Dec-2018	25021-808-10	Dec 2017 – Feb 2018
Methylprednisolone Sodium Succinate for Injection, USP, 1g	AJP701	Dec-2018	25021-810-30	Sep – Dec 2017
	AJP702	Dec-2018	25021-810-30	Dec 2017 – Feb 2018
	AJP601	Jul-2018	25021-810-30	Apr – Sep 2017
	AJP703	Aug-2019	25021-810-30	Jan – Feb 2018



SAGENT®

NDC 25021-807-05

methyLPREDNISolone Sodium Succinate
for Injection, USP

40 mg* per vial ^{Rx only}

For Intramuscular or Intravenous Use Single-Dose Vial

Recommended Diluent Contains Benzyl Alcohol as a Preservative.
Reconstitute with 1 mL of Bacteriostatic Water for Injection with Benzyl Alcohol. When reconstituted as directed each mL contains: *Methylprednisolone sodium succinate equivalent to 40 mg methylprednisolone. **Store at 20° to 25°C (68° to 77°F).** [See USP.] **Use solution within 48 hours of mixing. Protect from light.**

LAB-020016-00

Mfd. for: SAGENT Pharmaceuticals
Schaumburg, IL 60195 (USA)
Made in India
Code No.: AP/DRUGS/103/97

(01)00325021807057

Lot: _____
Exp.: _____

NDC 25021-808-10

methyLPREDNISolone Sodium Succinate
for Injection, USP

125 mg* per vial ^{Rx only}

For Intramuscular or Intravenous Use Single-Dose Vial

Recommended Diluent Contains Benzyl Alcohol as a Preservative.
Reconstitute with 2 mL of Bacteriostatic Water for Injection with Benzyl Alcohol. When reconstituted as directed each 2 mL contains: *Methylprednisolone sodium succinate equivalent to 125 mg methylprednisolone. **Store at 20° to 25°C (68° to 77°F).** [See USP.] **Use solution within 48 hours of mixing. Protect from light.**

LAB-020014-00

Mfd. for SAGENT Pharmaceuticals
Schaumburg, IL 60195 (USA)
Made in India
Code No.: AP/DRUGS/103/97

(01)00325021808108

Lot: _____
Exp.: _____

NDC 25021-810-30

methyLPREDNISolone Sodium Succinate
for Injection, USP

1 gram* per vial ^{Rx only}

For Intramuscular or Intravenous Use 8 - 125 mg doses 62.5 mg per mL

Recommended Diluent Contains Benzyl Alcohol as a Preservative.
Reconstitute with 16 mL of Bacteriostatic Water for Injection with Benzyl Alcohol. When reconstituted as directed each 16 mL contains: *Methylprednisolone sodium succinate equivalent to 1 gram methylprednisolone. **Store at 20° to 25°C (68° to 77°F).** [See USP.] **Use solution within 48 hours of mixing. Protect from light.**

LAB-020015-00

Mfd. for SAGENT Pharmaceuticals
Schaumburg, IL 60195 (USA)
Made in India
Code No.: AP/DRUGS/103/97

(01)00325021810309

Lot: _____
Exp.: _____

Customers are being notified by fax, email, FedEx, and/or certified mail that includes arrangements for return of all recalled product. Customers have been instructed to examine their inventory immediately and to quarantine, discontinue distribution of and return the recalled lot of product. Customers who may have further distributed this product have been requested to identify their customers and notify them at once of this product recall. The necessary form by which to document this information as well as other information regarding this recall is available at www.Sagentpharma.com.

Customers or consumers with any questions about returning unused product should be directed to the customer call center at (866) 625-1618 M-F 8am-7pm CST. Healthcare workers who have medical questions about Methylprednisolone Sodium Succinate for Injection, USP may contact Medical Affairs (866-625-1618, Option 3) M-F 8am-5pm CST. Consumers should contact their physician or healthcare provider if they have experienced any problems that may be related to taking or using this product.



SAGENT®

Adverse reactions or quality problems experienced with the use of this product may be reported to the FDA's MedWatch Adverse Event Reporting program either online, by regular mail or by fax.

- Complete and submit the report Online: www.fda.gov/medwatch/report.htm
- Regular Mail or Fax: Download form www.fda.gov/MedWatch/getforms.htm or call 1-800-332-1088 to request a reporting form, then complete and return to the address on the pre-addressed form, or submit by fax to 1-800-FDA-0178

This recall is being conducted with the knowledge of the U.S. Food and Drug Administration.